



## DYNATEC 8HP AUTOMATIC TRANSMISSION FLUID

### PRODUCT DESCRIPTION:

Dynatec 8HP is an Automatic Transmission Fluid (ATF) suitable for a large variety of applications. It is formulated from selected synthetic base oils and special additives which guarantees a perfect function of the automatic transmission and offers safe operation even under high stress.

### APPLICATION:

Dynatec 8HP is suitable for use in automatic ZF transmission of 8HP-Series 8HP45, 8HP55, 6HP26, 8HP70, 8HP90, also for ZF transmission 6-stroke automatic 6HP-series - 6HP19X for AUDI Q7, 6HP19A, 6HP28AF. It can also be used in ZF transmission series 9HP48.

### FEATURES & BENEFITS:

- Reduced vibration.
- Improved lubricating
- Reduced wear and softer shifting operations due to consistent friction behavior.
- Increased sound dampening due to low viscosity.
- maximum reduction of fuel consumption, which reduces emission

### PERFORMANCE LEVELS / MEETS OR EXCEEDS:

- ZF Lifeguard 8
- Audi / VW Oil No. G 060162 A1 / A2 / A6
- Jaguar Oil No. 02JDE 26444
- Land Rover Oil No. LR023288
- Chrysler Oil No. 68157995AA
- Petronas Tutela Transmission A58
- BMW 83 222 152 426
- BMW 83 222 305 397 (ATF3)
- BMW 83 222 289 720 (ATF3+)
- Fiat 9.55550-AV5
- Bentley JNV 862 564 D

### TYPICAL PERFORMANCE:

PARAMETERS	ASTM	UNIT	DYNATEC 8HP
KV@ 104°F /40°C	D7042	cSt	TBR
KV @ 212°F /100°C	D7042	cSt	6.6
Viscosity Index	D2270	-	146
Density @15°C	D4052	g/cm3	TBR
Flash Point (min)	D92	°C	200
Pour Point (max)	D97	°C	-45

### DISCLAIMER:

The test data mentioned above is not a definitive specification but serves as an indication and may fluctuate within acceptable production tolerances. Venom retains the right to alter this test data. Any updated information will replace previous versions, so please consult the latest Technical Data Sheet (TDS).

### HEALTH & SAFETY, ENVIRONMENT:

Extended and repeated exposure to oil can lead to skin conditions. Please avoid contact. If you do come into contact with oil, wash the affected area immediately with soap and water. Do not dispose of used oil down drains or into the environment; instead, take it to an authorized used oil collection point.

### HEALTH & SAFETY:

This product is unlikely to pose significant health or safety risks when used properly in the recommended application and with good personal hygiene practices. For more information, please refer to the Safety Data Sheet (SDS), which is available upon request from your local sales office.

### PROTECT THE ENVIRONMENT:

Please take used oil to an authorized collection point and adhere to local regulations. Do not discharge it into drains, soil, or water.

### STORAGE:

We recommend storing all packages in a covered area. If outdoor storage is necessary, drums should be positioned horizontally to prevent water ingress and protect the markings. Products should never be stored above 60°C or exposed to direct sunlight or freezing temperatures.