



DYNATEC PSF

PRODUCT DESCRIPTION:

Dynatec PSF is an advanced fully synthetic oil blended for use in power steering and suspension units. It contains a unique combination of anti-shudder additives, dispersants, and seal swell additives along with a specialized synthetic base oil to offer maximum wear protection, long service life, and minimization of viscosity loss.

APPLICATION:

Dynatec PSF is primarily designed and recommended for use in the power steering units of all Honda motor vehicles as well as Rover models 416i, 825 and 827 that use Honda power steering components. It may also be used in high performance applications in other vehicles such as Ford Tickford series, AU, BA & BF XR, FPV & Territory SX-SY series vehicles. The synthetic base oils and higher viscosity help to reduce pump wear and maintain steering feel where extra heat and load is expected in these applications.

FEATURES & BENEFITS:

- Correct viscosity for Honda Power Steering units
- Compatible with OEM fluid
- Reduces power steering shudder (noise & chatter)
- Extends seal and hose life
- Multiple use power steering & suspension
- Long Service life
- Protects against rust and corrosion

PERFORMANCE LEVELS / MEETS OR EXCEEDS:

- Ford M2C134-C
- Ford M2C134-D
- Honda PSF-II
- Honda PSF-S
- Honda PSF-V

TYPICAL PERFORMANCE:

PARAMETERS	ASTM	UNIT	DYNATEC PSF
KV@ 104°F /40°C	D7042	cSt	TBR
KV @ 212°F /100°C	D7042	cSt	11.7
Viscosity Index	D2270	-	160
Density @15°C	D4052	g/cm3	TBR
Flash Point (min)	D92	°C	200
Pour Point (max)	D97	°C	-42

DISCLAIMER:

The test data mentioned above is not a definitive specification but serves as an indication and may fluctuate within acceptable production tolerances. Venom retains the right to alter this test data. Any updated information will replace previous versions, so please consult the latest Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Extended and repeated exposure to oil can lead to skin conditions. Please avoid contact. If you do come into contact with oil, wash the affected area immediately with soap and water. Do not dispose of used oil down drains or into the environment; instead, take it to an authorized used oil collection point.

HEALTH & SAFETY:

This product is unlikely to pose significant health or safety risks when used properly in the recommended application and with good personal hygiene practices. For more information, please refer to the Safety Data Sheet (SDS), which is available upon request from your local sales office.

PROTECT THE ENVIRONMENT:

Please take used oil to an authorized collection point and adhere to local regulations. Do not discharge it into drains, soil, or water.

STORAGE:

We recommend storing all packages in a covered area. If outdoor storage is necessary, drums should be positioned horizontally to prevent water ingress and protect the markings. Products should never be stored above 60°C or exposed to direct sunlight or freezing temperatures.