



SWIFT LS FULLY SYNTHETIC

PRODUCT DESCRIPTION:

Swift LS is a premium quality low SAPS synthetic engine oil design that complies with the demanding requirements of Euro IV and Euro V exhaust emission legislations. It is designed to offer reliable long-life engine protection and performance in gasoline and diesel passenger cars and diesel light vans with Three Way Catalysts (TWC) or Diesel Particulate Filters (DPF).

APPLICATION:

Swift LS is suitable for gasoline and diesel passenger cars or light diesel vehicles - with or without turbo chargers. It is specifically designed for ACEA C4, typically used by Renault, in addition to ACEA C3. It is also used for engines that require oil meeting MB 226.51 and MB 229.51 specifications.

FEATURES & BENEFITS:

- Excellent soot and sludge control resulting in cleaner engines and reduces fuel consumption
- Low SAPS formulation helps protect TWCs and DPFs.
- Outstanding low temperature fluidity for cold start protection.
- Good TBN retention and viscosity increase control.
- Robust antiwear additive technology for engine wear protection.

PERFORMANCE LEVELS / MEETS OR EXCEEDS:

- ACEA C4
- Renault RN 0720
- MB 226.51/229.51

TYPICAL PERFORMANCE:

PARAMETERS	ASTM	UNIT	SWIFT LS (FULLY SYNTHETIC)
Grade			5W-30
Kinematic Viscosity @ 104°F /40°C	D-7042	cSt	TBR
Kinematic Viscosity @ 212°F /100°C	D-7042	cSt	12
Viscosity Index	D-2270	-	170
Density @15°C/ 60°F	D-4052	g/cm ³	TBR
Flash Point (min)	D-92	°C	230
Pour Point (max)	D-97	°C	-42
TBN	D-2896	Mg KOH/g	8
CCS, (°C)	D-5293	m.Pa.S	<6600 (-30°C)

DISCLAIMER:

The test data mentioned above is not a definitive specification but serves as an indication and may fluctuate within acceptable production tolerances. Venom retains the right to alter this test data. Any updated information will replace previous versions, so please consult the latest Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Extended and repeated exposure to oil can lead to skin conditions. Please avoid contact. If you do come into contact with oil, wash the affected area immediately with soap and water. Do not dispose of used oil down drains or into the environment; instead, take it to an authorized used oil collection point.

HEALTH & SAFETY:

This product is unlikely to pose significant health or safety risks when used properly in the recommended application and with good personal hygiene practices. For more information, please refer to the Safety Data Sheet (SDS), which is available upon request from your local sales office.

PROTECT THE ENVIRONMENT:

Please take used oil to an authorized collection point and adhere to local regulations. Do not discharge it into drains, soil, or water.

STORAGE:

We recommend storing all packages in a covered area. If outdoor storage is necessary, drums should be positioned horizontally to prevent water ingress and protect the markings. Products should never be stored above 60°C or exposed to direct sunlight or freezing temperatures.