



SWIFT SPECIFIC B71 2312

FULLY SYNTHETIC

PRODUCT DESCRIPTION:

Swift Specific B71 2312 is a high-performance reduced SAPS formula specially designed for recent vehicles of PSA group (Peugeot and Citroën) equipped with diesel engines "Blue HDI" SCR (Selective Catalytic Reduction) requiring lubricant meeting B71 2312 specification. It also meets the requirements of EURO 4, EURO 5 and EURO 6 pollution control standards and maintains the efficiency of the car exhaust Emission Reduction Systems in both diesel and gasoline powered automobiles. Fully synthetic base provides excellent thermal stability and wear protection and it prevents the formation of varnish and sludge to preserve the engine cleanliness.

APPLICATION:

Swift Specific B71 2312 is recommended for all Peugeot "Blue HDI" diesel engines and Citroën equipped with SCR systems. The B71 2312 specification also covers the specifications of the majority of gasoline engines and PSA - Peugeot Citroën HDi FAP Diesel engines.

FEATURES & BENEFITS:

- Low SAPS formulation helps to prolong the life and maintains the efficiency of the Emission Reduction Systems in both Diesel and Gasoline powered engines.
- Help achieve fuel economy.
- Improved cold flow properties.
- Offers the best possible protection in its category against wear and clogging.
- Reduced environmental impact.

PERFORMANCE LEVELS / MEETS OR EXCEEDS:

SAE GRADE	0W-30
ACEA-16	C2
PSA	B71 2312

TYPICAL PERFORMANCE:

PARAMETERS	ASTM	UNIT	SWIFT SPECIFIC B71 2312 (Typical Specification)
SAE Grades			0W-30
Kinematic Viscosity @ 104°F /40°C	D445	cSt	TBR
Kinematic Viscosity @ 212°F /100°C	D445	cSt	10.1
Viscosity Index	D2270	-	176
Density @15°C/ 60°F	D4052	g/cm3	TBR
Flash Point (min)	D92	°C	222
Pour Point (max)	D97	°C	-42
TBN	D2896	mg KOH/g	7
CCS, (°C)	D5293	m.Pa.S	<6200 (-35°C)

DISCLAIMER:

The test data mentioned above is not a definitive specification but serves as an indication and may fluctuate within acceptable production tolerances. Venom retains the right to alter this test data. Any updated information will replace previous versions, so please consult the latest Technical Data Sheet (TDS).

HEALTH & SAFETY, ENVIRONMENT:

Extended and repeated exposure to oil can lead to skin conditions. Please avoid contact. If you do come into contact with oil, wash the affected area immediately with soap and water. Do not dispose of used oil down drains or into the environment; instead, take it to an authorized used oil collection point.

HEALTH & SAFETY:

This product is unlikely to pose significant health or safety risks when used properly in the recommended application and with good personal hygiene practices. For more information, please refer to the Safety Data Sheet (SDS), which is available upon request from your local sales office.

PROTECT THE ENVIRONMENT:

Please take used oil to an authorized collection point and adhere to local regulations. Do not discharge it into drains, soil, or water.

STORAGE:

We recommend storing all packages in a covered area. If outdoor storage is necessary, drums should be positioned horizontally to prevent water ingress and protect the markings. Products should never be stored above 60°C or exposed to direct sunlight or freezing temperatures.